

Red gums and other associated groups

	Habit	Bark – rough or smooth	Adult leaf colour	Adult leaf shape	Adult leaf length in cm	Adult leaf width in cm	Adult leaf sheen	Umbel bud number	Bud pedicels	Bud glaucous	Operculum shape & length	Fruit width	Juvenile leaf colour	Juvenile leaf shape	Juvenile leaf length in cm	Juvenile leaf width in cm	Seedling leaf shape	Seedling leaf length in cm	Seedling leaf width in cm
Bark smooth – leaf venation moderate to dense – oil glands island - fruit with annular disc, free from the ovary roof - seed red-brown to brown, cuboid to obliquely pyramidal																			
<i>Eucalyptus seeana</i>	Tree	Smooth	green	narrowly lanceolate to lanceolate to falcate	6.5-20	1-2.5	glossy-dull	7 or >7	pedicellate	not glaucous	long conical .7-1.2 cm	0.5-0.8	green	narrow lanceolate to lanceolate	8-12	1-1.5	linear-lanceolate	5-12	.8-2(2.6)
<i>Eucalyptus interstans</i>	Tree	Smooth	green	lanceolate to falcate	8-18	1-3.2	dull	7 or >7	pedicellate	no	long conical .8-1.1 cm	0.5-0.8	green	ovate to broadly lanceolate	5-14	3-6.5	ovate	5.5-8	2-4
<i>Eucalyptus prava</i>	Tree	Smooth	blue-grey to glaucous	lanceolate to falcate	5.5-16	1.5-3.7	dull	7	pedicellate	glaucous	long conical .7-1.1 cm	0.5-1	blue-grey	ovate	4.5-6.5	3-5	ovate	3-7	3-7
<i>Eucalyptus bancroftii</i>	Tree	Smooth	green to blue-green or grey-green	broadly lanceolate to lanceolate to falcate	10-26	(2)3-5	glossy-dull	7 or >7	pedicellate	not glaucous	long conical .7-1.5 cm	0.6-0.9	green	ovate	10-15	3-7	ovate-lanceolate	5.5-14	2-5.5
<i>Eucalyptus parramattensis</i> subsp. <i>decadens</i>	Tree	Smooth	green	lanceolate to falcate	8-20	1.5-3	glossy	7	pedicellate	not glaucous	conical .6-.8 cm	0.7-0.9	grey-green to green	lanceolate	6-13	1.7-3	lanceolate	7.5-11	1.5-3.2
<i>Eucalyptus parramattensis</i> subsp. <i>parramattensis</i>	Tree	Smooth	green	narrowly lanceolate to lanceolate to falcate	7-15	1.2-2.5	glossy	7	pedicellate	not glaucous	short conical .3-.7 cm	0.5-0.7	grey-green to green	lanceolate	5-10	.5-3	lanceolate	7-12	1-2.7
<i>Eucalyptus parramattensis</i> var. <i>sphaerocalyx</i>	Tree	Smooth	green	lanceolate to falcate	7-16	1.5-3	glossy	7	pedicellate	not glaucous	rounded to short conical .2-.4 cm	0.5-0.7	grey-green to green	lanceolate	5-10	.5-3	lanceolate	6-13	1.2-4
Bark mostly smooth – leaf venation moderate to dense – oil glands island - stamens mostly erect - fruit with disc united to ovary roof – seed dark brown to black, cuboid to obliquely pyramidal																			
<i>Eucalyptus nandewarica</i>	Tree or mallee	smooth or rarely partly rough	green to grey-green	lanceolate	5-15	.8-3	dull	7 or rarely 3	shortly pedicellate to sessile	not glaucous	long conical .3-.6	0.5(0.6)	green	ovate to lanceolate	6-11	1-2.5	broadly lanceolate	10-12.5	3-5
<i>Eucalyptus dwyeri</i>	Tree or mallee	smooth or rarely partly rough	green to grey-green	lanceolate to falcate	7-15	1-2.7	glossy or dull	7	shortly pedicellate to sessile	not glaucous	long conical .3-.8 cm	0.5-0.7	green	linear to lanceolate	5-15	1-2.5	lanceolate	7-12	1-2.6
<i>Eucalyptus dealbata</i>	Tree	smooth or rarely partly rough	blue-grey to glaucous	lanceolate to ovate	5.5-14	1-4	dull	7 or >7	pedicellate	glaucous	conical .4-.8 cm	0.5-0.7	blue-grey to glaucous	orbicular to ovate	6.5-8	3-4.2	orbicular to ovate	5-11.5	3.3-6(6.5)
<i>Eucalyptus vicina</i>	Tree or mallee	smooth or rarely partly rough	green	lanceolate to falcate	5.5-16	.7-2.7	glossy or dull	7	sessile to shortly pedicellate	not glaucous	conical to rounded .4-.7 cm	0.4-0.8	green to blue-grey to glaucous	ovate	5-9	2.5-4.8	ovate	5-10	2.5-5
<i>Eucalyptus flindersii</i>	Mallee or rarely tree	smooth or rarely partly rough	green to grey-green	narrowly lanceolate to lanceolate to falcate	(5.5)9.5-18	1-3	glossy or dull	3, rarely 7	pedicellate	not glaucous	conical to rounded .4-.7 cm	0.4-1	grey green	ovate	4.5-11	2.5-7	ovate to deltoid	7-10	3.5-8
<i>Eucalyptus gillenii</i>	Mallee	smooth	green to grey-green	linear to narrowly lanceolate	(7)8-18(19)	.9-2.6	dull	7 or >7	pedicellate	not glaucous	conical to rounded .5-1.2 cm	0.6-1.2	grey-green to green	ovate to lanceolate	7-10	1-2	lanceolate	(6)8-12.5(13)	(.8)1.5-3(3.5)
<i>Eucalyptus nudicaulis</i>	Mallee	smooth	green to grey-green	linear to narrowly lanceolate	7-18(19)	1-2(2.5)	dull	7	pedicellate	not glaucous	conical to horn-shaped 0.7-1 cm	0.6-0.9(1)	grey-green to green	narrowly lanceolate to lanceolate			narrowly lanceolate	6-13	0.8-2
<i>Eucalyptus infera</i>	Mallee	smooth	green	broadly lanceolate to elliptical to ovate	6-11	2-4(5)	glossy	7-15 or >15	pedicellate	not glaucous	long conical .8-1.1 cm	0.4-0.8	green	orbicular to ovate, often with shallowly crenulations on the margin	4-7	4-7	ovate	5-8	4-7
<i>Eucalyptus terrica</i>	Tree	rough or partly rough	green to grey-green	narrowly lanceolate to lanceolate	(5)7.5-13	.9-1.7(2)	dull	7	pedicellate	not glaucous	long conical .4-.6 cm	0.5-0.6 disc flat	green to grey-green to glaucous	lanceolate	6-14	1-2.5	ovate to lanceolate	5.5-13	1-3.8
<i>Eucalyptus chloroclada</i>	Tree	rough to partly rough to smooth	green to grey-green	lanceolate	8.5-18	1-3.5	glossy or dull	7	pedicellate	not glaucous	long conical .5-.9 cm	0.4-0.7 disc flat	green	ovate			ovate	4-8	2-5
<i>Eucalyptus blakelyi</i>	Tree	smooth or partly rough	green to blue-grey	lanceolate to falcate	6-20	.7-4.5	glossy or dull	7 or >7	pedicellate	Glaucous and non-glaucous	long conical .5-1.1 cm	0.4-0.8	green to blue-grey	ovate to orbicular	4-14	3.3-10	ovate to orbicular to elliptical	(4.8)6-15	2.5-7

	Habit	Bark – rough or smooth	Adult leaf colour	Adult leaf shape	Adult leaf length in cm	Adult leaf width in cm	Adult leaf sheen	Umbel bud number	Bud pedicels	Bud glaucous	Operculum shape & length	Fruit width	Juvenile leaf colour	Juvenile leaf shape	Juvenile leaf length in cm	Juvenile leaf width in cm	Seedling leaf shape	Seedling leaf length in cm	Seedling leaf width in cm
<i>Eucalyptus kabiana</i>	Mallee or rarely tree	smooth or partly rough	green	narrowly lanceolate to lanceolate to falcate	6-15	1-2.3	glossy or dull	7 or >7	pedicellate	not glaucous	long conical .7-.9	0.5-0.7	glaucous	lanceolate	6-8	2-3			
<i>Eucalyptus glaucina</i>	Tree	smooth	glaucous to blue-grey to green	lanceolate	9-17	2-4.2	dull	7	pedicellate	glaucous	long conical .5-1 cm	0.6-1	glaucous or green	orbicular to ovate	6-10	5-6.5	orbicular to ovate	6.5-10	4.5-8
<i>Eucalyptus amplifolia</i> subsp. <i>amplifolia</i>	Tree	smooth or partly rough	green	broadly lanceolate to lanceolate to falcate	7.5-17	1.6-7	glossy dull	7 or >7	pedicellate	not glaucous	long conical .5-.9	0.4-0.6	green	orbicular to ovate to deltoid	5-22	3.5-18	orbicular to ovate to deltoid	7-11	5-8(10)
<i>Eucalyptus amplifolia</i> subsp. <i>sessiliflora</i>	Tree	smooth or partly rough	green	lanceolate to falcate	7.5-22	1.3-3.5	glossy or dull	7 or >7	sessile	not glaucous	long conical .6-.9 cm	0.5-0.6	green	orbicular to ovate to deltoid	4.5-16	3.5-11	orbicular to ovate to deltoid	7-10	4-8(10)
<i>Eucalyptus tereticornis</i> subsp. <i>mediana</i>	Tree	smooth or partly rough	green	lanceolate to falcate	8-20	(1)1.2-3.5	glossy or dull	7	pedicellate	not glaucous	long conical .5-1.2 cm	0.6-1	green	ovate to lanceolate	5-8	3-5	ovate	6.5-11.5	3.5-8.5
<i>Eucalyptus tereticornis</i> subsp. <i>tereticornis</i>	Tree	smooth or partly rough	green	lanceolate to falcate	8-22	1-3(3.5)	glossy or dull	7 or >7	pedicellate	not glaucous	long conical .8-2.2 cm	0.4-0.8	green to blue-green	ovate	6-13	3-8	ovate	5-12.5	2.7-6.5
Bark smooth – leaf venation moderate to dense – oil glands island - stamens erect to variously inflexed - fruit with disc united to ovary roof – seed yellow to yellow-brown, cuboid to obliquely pyramidal																			
<i>Eucalyptus camaldulensis</i> subsp. <i>simulata</i>	Tree	smooth	green	lanceolate	(8)11-25	(1)2-3.5	glossy or dull	7 or >7	pedicellate	not glaucous	long conical	0.5-0.8	green rarely glaucous	ovate to lanceolate			ovate to lanceolate	7-14.2	2-4.5
<i>Eucalyptus camaldulensis</i> var. <i>camaldulensis</i>	Tree	smooth or partly rough	green to blue-green	lanceolate to falcate	5-30	.7-3.2	glossy or dull	7 or >7	pedicellate	not glaucous	beaked	0.4-1	blue-green to green	lanceolate	8-18	1.3-2.5	ovate to lanceolate to elliptical	7.5-15.5	1.3-4
<i>Eucalyptus camaldulensis</i> var. <i>obtusata</i>	Tree	smooth	green to blue-green	narrowly lanceolate to lanceolate to falcate	5-28	.8-3.6	glossy or dull	7 or >7	pedicellate	glaucous and non-glaucous	conical to rounded	0.4-0.9	blue-green to blue-grey to glaucous	ovate to lanceolate	7.5-13	2.5-4.5	ovate to lanceolate	6-18	.8-5.5
Bark normally rough – leaf venation moderate to dense – oil glands island - stamens irregularly inflexed - fruit with disc united to ovary roof – seed mostly black (rarely yellow), cuboid to obliquely pyramidal																			
<i>Eucalyptus rudis</i> subsp. <i>cratyantha</i>	Tree	wholly rough to partly rough to rarely smooth	green	lanceolate to falcate	7-18	1-3.5	glossy or dull	7 or >7	pedicellate	not glaucous	conical .5-.7 cm	1.1-1.4	grey-green to rarely glaucous	orbicular to ovate to deltoid	2.5-7	2-5.5	ovate to deltoid	6-9	4.5-8.5
<i>Eucalyptus rudis</i> subsp. <i>rudis</i>	Tree	wholly rough to partly rough to rarely smooth	green	lanceolate to falcate	7-18	1-3.5	glossy or dull	7 or >7	pedicellate	not glaucous	conical .4-.8 cm	0.7-1	grey-green to rarely glaucous	orbicular to ovate to deltoid	(2.5)5-7	2-5.5	ovate to deltoid	6-9	4.5-8.5
Bark rough – leaf venation moderate – oil glands island - stamens erect - fruit with disc united to ovary roof – seed dark brown to black, cuboid to obliquely pyramidal																			
<i>Eucalyptus brassiana</i>	Tree	partly rough or wholly rough	green	narrowly lanceolate to falcate	10-22	1-2.5(2.8)	glossy	7	pedicellate	not glaucous	long conical 0.8-1 cm	0.7-1.2	green	ovate to lanceolate	(6)8-17(21.5)	(3)4-7	lanceolate	7-18	1.5-3(4.2)
<i>Eucalyptus lockyeri</i> subsp. <i>exuta</i>	Tree or rarely mallee	partly rough	green	lanceolate	8-19	.8-2	glossy or dull	7	pedicellate	not glaucous	conical	0.6-0.8(.9) disc flat	green	lanceolate	5.5-7.5	.9-1.3(1.6)	linear to lanceolate	5.5-8	.5-1.5
<i>Eucalyptus lockyeri</i> subsp. <i>lockyeri</i>	Tree or rarely mallee	wholly rough or partly rough	glaucous to blue-grey to rarely green	broadly lanceolate to lanceolate	(7)9-15	(1.3)2-3.5(4.5)	dull	7	pedicellate	glaucous	long conical or beaked .8-1 cm	0.6-1(1.2) disc flat	glaucous to blue-grey	ovate lanceolate	8-16	3.5-5.5	ovate to lanceolate	8.4-14(16)	1.6-5(6)
<i>Eucalyptus ammophila</i>	Mallee or rarely tree	partly rough, wholly rough	green to grey-green	lanceolate	6.5-13.5	1.5-2.5(3)	dull	7 or >7	pedicellate	not glaucous	conical 0.6 cm	0.6-0.9	grey-green to green	ovate to lanceolate	6-8.5	2.2-3.6	lanceolate	7-14	(.5)1-3
<i>Eucalyptus exserta</i>	Tree or mallee	wholly rough normally to the small branches	green to grey-green	narrowly lanceolate to lanceolate	6.5-18	.7-2.7	glossy or dull	7	pedicellate	not glaucous	long conical .4-.8 cm	0.4-0.8	grey-green to green	linear to lanceolate to falcate	6-19	.3-1.3	linear to lanceolate	6-19	.3-1.6
<i>Eucalyptus morrisii</i>	Tree or mallee	wholly rough or partly rough	grey green	lanceolate	5.5-14.5	.8-2.1	dull	3 rarely 7	pedicellate	not glaucous	conical .5-.7 cm	0.7-1.1	green	linear to lanceolate	6-12	.5-1.2	linear lanceolate	6-15	.4-2.3

	Habit	Bark – rough or smooth	Adult leaf colour	Adult leaf shape	Adult leaf length in cm	Adult leaf width in cm	Adult leaf sheen	Umbel bud number	Bud pedicels	Bud glaucous	Operculum shape & length	Fruit width	Juvenile leaf colour	Juvenile leaf shape	Juvenile leaf length in cm	Juvenile leaf width in cm	Seedling leaf shape	Seedling leaf length in cm	Seedling leaf width in cm
Bark smooth – leaf venation dense – oil glands island and intersectional – stamens inflexed – fruit with annular disc, free from the ovary roof – seed flattened ovoid to obliquely pyramidal, toothed (In Brooker's A New Classification of the genus <i>Eucalyptus</i> , placed in Subgenus <i>Symphomyrtus</i> , Section <i>Exsertaria</i> , Series <i>Connexentes</i> , however, because the species in this group have fruit with an annular disc and bark that is often granular in texture, maybe better placed in Section <i>Liberivalvae</i> or a new Section of their own)																			
<i>Eucalyptus hallii</i>	Tree	smooth	green	lanceolate	(9)12-17(21)	(1.5)2-3.5(4.5)	glossy or dull	7	sessile to shortly pedicellate	not glaucous	conical to rounded	0.6-0.8	green	ovate to lanceolate	12-22	4.5-9	ovate to lanceolate	7-14	2.5-6
<i>Eucalyptus broviniensis</i>	Tree	smooth	green	lanceolate	10-15	2.5-4.5	dull	7	sessile to shortly pedicellate	not glaucous	rounded	0.7-1.1							
Bark smooth – leaf venation dense to very dense – oil glands intersectional or absent – buds ± globular in shape - fruit with annular disc, free from the ovary roof – seed flattened, ± ovoid in shape, toothed (In Brooker's A New Classification of the genus <i>Eucalyptus</i> , placed in Subgenus <i>Symphomyrtus</i> , Section <i>Exsertaria</i> , Series <i>Subexsertae</i> , however, because the species in this group have fruit with an annular disc and flattened ovoid seed with a ± ventral hilum, maybe better placed in a new Section of their own)																			
<i>Eucalyptus alba</i> var. <i>australasica</i>	Tree	smooth	green	lanceolate to rarely ovate	8-18.5	(1.8)2.5-4.5(8)	glossy or dull	7	pedicellate	not glaucous	rounded to shortly beaked	0.5-0.8	green	ovate	10-18	6-13.5	ovate	7-10.8	4-6.2
<i>Eucalyptus bigalerita</i>	Tree	smooth	green to grey-green	orbicular to deltoid to cordate	(6)9-15(19)	(5)7-15	glossy or dull	7	sessile to shortly pedicellate	not glaucous	rounded to shortly beaked	(.6)0.8-1.2(1.4)	grey-green	deltoid to cordate	7-18	6.5-16			
<i>Eucalyptus platyphylla</i>	Tree	smooth	green to grey-green	orbicular to deltoid to cordate to rarely ovate to rarely broadly lanceolate	5-21	3.5-12	dull	7	sessile to shortly pedicellate	not glaucous	conical to rounded	0.6-1	green	deltoid to cordate	9-20	6-16.5(17)			
<i>Eucalyptus tintinnans</i>	Tree	smooth	green to grey-green	orbicular to deltoid to rarely cordate to rarely ovate	5.5-11	3.5-6(8)	dull	7 or >7	sessile to shortly pedicellate	not glaucous	rounded to shortly beaked	0.5-0.6							
<i>Eucalyptus houseana</i>	Tree	smooth	green	lanceolate to falcate	(8.5)9-19	(1.5)2-3.6(4.5)	dull	7	sessile to shortly pedicellate	? glaucous	conical to rounded to shortly beaked	0.4-0.5(.6)	? glaucous	ovate to elliptical	8-13	5-9	ovate	4.5-10.5	2.3-6
<i>Eucalyptus apodophylla</i>	Tree	smooth	blue-green to grey-green to glaucous	elliptical to ovate to broadly lanceolate Leaves sessile (rarely shortly petiolate)	7-20	(3)3.6-9	dull	7	shortly pedicellate	glaucous	rounded	0.4-0.6(.8)	glaucous	ovate to elliptical	7-15	4-9	ovate to elliptical	4-7	2.7-4.7
Bark smooth – leaf venation dense to very dense – oil glands intersectional or absent – buds ± ovoid to obovoid in shape - fruit with annular disc, free from the ovary roof – seed obliquely pyramidal in shape, toothed (In Brooker's A New Classification of the genus <i>Eucalyptus</i> , placed in Subgenus <i>Symphomyrtus</i> , Section <i>Exsertaria</i> , Series <i>Subexsertae</i> , however, because the species in this group have fruit with an annular disc and obliquely pyramidal seed with a ± terminal hilum, maybe better placed in a new Section of their own)																			
<i>Eucalyptus mooreana</i>	Tree or mallee	smooth	green to grey-green to glaucous	elliptical to ovate to orbicular to cordate to rarely lanceolate	(3)6-12(13)	3-8	dull	7	sessile to rarely shortly pedicellate	glaucous	conical	0.6-0.9	grey-green to glaucous	orbicular to ovate to elliptical to cordate			ovate to cordate to deltoid	4-9.3	2-5.3
<i>Eucalyptus herbertiana</i>	Tree or mallee	smooth	green to grey-green	lanceolate to falcate	8-22	1.2-2(2.6)	dull	7 or rarely 3	sessile to shortly pedicellate	not glaucous or rarely glaucous	conical	0.4-0.6	grey-green to glaucous	ovate	7-10	3.5-6.5	ovate to lanceolate	5.5-11	2.5-5
<i>Eucalyptus cupularis</i>	Tree	smooth	green to grey green	lanceolate to falcate	10-23	.9-2.7(3.5)	dull	7	sessile to rarely pedicellate	glaucous	conical to rounded	0.7-1.2	grey-green to glaucous	ovate	8-14	4-8	ovate to lanceolate	5.5-14	1.3-7
<i>Eucalyptus glomericaensis</i>	Tree	smooth	green	lanceolate to falcate	(10)12-25	1-2(3)	glossy	7	pedicellate or rarely sessile	not glaucous	conical to rounded	0.6-0.9					ovate	5-8	2-5.5
<i>Eucalyptus gregoriensis</i>	Tree or mallee	smooth	green to grey-green to glaucous	narrowly lanceolate to lanceolate to falcate	8-17(22)	1.2-3	dull	3 or rarely 7	sessile	not glaucous or rarely glaucous	conical to rounded	0.5-0.6(.7)	grey-green to glaucous	ovate to lanceolate	8-18	4-9	ovate to lanceolate	6-12	2.5-5.5
<i>Eucalyptus pantoleuca</i>	Tree	smooth	glaucous	ovate to orbicular to deltoid	(7)9-15(17)	(5.8)7-16	dull	3	sessile to pedicellate	glaucous	rounded	1.5-2.4	grey-green to glaucous	orbicular to deltoid	9.5-15	10-15.5	ovate to elliptical	4.5-7.5	1.6-3
Bark smooth - leaf venation very dense - oil glands usually absent - seed flattened, ovoid in shape, not toothed																			
<i>Eucalyptus rupestris</i>	Tree	smooth	green	elliptical to ovate to broadly lanceolate	3.7-7.5	1-2.5(3)	dull	7	shortly pedicellate	not glaucous	conical to rounded	(.2)0.3-0.4	grey-green to green	orbicular to ovate	(3.5)5-7	3.5-8			
<i>Eucalyptus kenneallyi</i>	Tree	smooth	green to grey-green	narrowly lanceolate	6-11	0.7-2	dull	7, rarely 3	pedicellate	not glaucous	conical	0.3-0.35							

	Habit	Bark – rough or smooth	Adult leaf colour	Adult leaf shape	Adult leaf length in cm	Adult leaf width in cm	Adult leaf sheen	Umbel bud number	Bud pedicels	Bud glaucous	Operculum shape & length	Fruit width	Juvenile leaf colour	Juvenile leaf shape	Juvenile leaf length in cm	Juvenile leaf width in cm	Seedling leaf shape	Seedling leaf length in cm	Seedling leaf width in cm
Eucalyptus umbrawarrensii	Tree	smooth	green	narrowly lanceolate	6-12	0.6-2.2	glossy	7	pedicellate	not glaucous	conical to beaked	0.3-0.4 disc narrow, descending	blue-grey to green	ovate	4-10	3-6.5	ovate	4.5-7	2.5-4
Eucalyptus leucophloia subsp. euroa	Tree or rarely mallee	smooth	green to grey-green to blue-grey to glaucous	lanceolate to ovate	5-9(12)	1-3.5(4)	dull	7 rarely >7	sessile to shortly pedicellate	glaucous and not glaucous	rounded to bluntly conical	0.4-0.6 valves prominently exerted	blue-grey to glaucous	ovate to deltoid to orbicular	3-7.5	3-7.5	deltoid to orbicular to rarely ovate	3-6.5	3.2-6.2
Eucalyptus leucophloia subsp. leucophloia	Tree	smooth	green to grey-green to blue-grey to glaucous	lanceolate to ovate	4-8.5	0.9-2.3	dull	7 rarely >7	shortly pedicellate	glaucous and not glaucous	rounded to bluntly conical, rarely beaked	0.4-0.6 valves enclosed or near the rim	glaucous	ovate to deltoid to orbicular	3.2-7	3-8.5	deltoid to orbicular to rarely ovate	3-6.5	3.2-6.2
Eucalyptus confluens	Tree	smooth	green	lanceolate to rarely falcate	6-15(17)	0.9-2.2	glossy	7	sessile to shortly pedicellate	not glaucous	rounded to bluntly conical	0.6-0.7 disc broad					ovate	3.2-7	2-4.5
Eucalyptus brevifolia	Tree or rarely mallee	smooth	blue-grey to glaucous	lanceolate to broadly lanceolate to ovate	5-11	(0.9)1.5-2.8(5)	dull	7	sessile to shortly pedicellate	glaucous and not glaucous	rounded to bluntly conical	0.6-0.9 disc broad, flat to slightly ascending	glaucous	ovate to deltoid to orbicular	4-7	3-7	ovate	4-7	3-5.5
Eucalyptus ordiana	Tree or mallee	smooth	glaucous to grey-green	ovate to broadly lanceolate	(3.5)6-9	2-8	dull	7	sessile to shortly pedicellate	glaucous	conical to beaked	0.5-0.7	blue-grey to glaucous	orbicular	4-8	4.5-10	orbicular	3-4	2.8-4