

References

Nomenclature

- Bale, C.L. (1996). "Eucalypts and Angophoras of the North Coast New South Wales" (Department of Botany, University of New England: Armidale).
- Bean, A.R. (1997) Notes on *Eucalyptus* ser. *Psathyroxyla* Blakely (Myrtaceae) and other 'Ash group' eucalypts. *Austrobaileya* 5: 125-135.
- Bean, A.R. (2002) Two new combinations in *Corymbia* K.D. Hill & L.A.S. Johnson (Myrtaceae). *Austrobaileya* 6: 345.
- Bean, A.R. (2005) Notes on the narrow-leaved Ironbarks (Myrtaceae: *Eucalyptus* subseries *Subglaucae*). *Austrobaileya* 7: 111-120.
- Bean, A.R. (2005) *Eucalyptus erosa* A.R.Bean (Myrtaceae), a new stringybark species from central Queensland. *Austrobaileya* 7: 141-144.
- Bean, A.R. (2009) *Eucalyptus ambigua* DC. (Myrtaceae), the correct name for the Smithton Peppermint of Tasmania. *Muelleria* 27: 227-229.
- Bentham, G. (1867). "Flora Australiensis", Vol. 3 (L. Reeve & Co.: London).
- Black, J.M. (1986). "Flora of South Australia", Vol. 3 revised (Government Printer: Adelaide).
- Blake, S.I. (1953). Botanical contributions of the Northern Territory Regional Survey. I. Studies on northern Australian species of *Eucalyptus*. *Australian Journal of Botany* 1, 185-352.
- Blakely, W.F. (1934). "A Key to the Eucalypts", 1st edn (The Worker Trustees, St. Andrew's Place, Sydney).
- Blakely, W.F. (1955). "A Key to the Eucalypts", 2nd edn (Forestry and Timber Bureau: Canberra).
- Blakely, W.F. (1965). "A Key to the Eucalypts", 3rd edn (Forestry and Timber Bureau: Canberra).
- Bohte, A. and Drinnan, A. (2005). Floral development and systematic position of *Arillastrum*, *Allosyncarpia*, *Stockwellia* and *Eucalyptopsis* (Myrtaceae). *Pl. Syst. Evol.* 251: 53-70.
- Boland, D.J., Brooker, M.I.H., Chippendale, G.M., Hall, N., Hyland, B.P.M., Johnston, R.D., Kleinig, D.A., and Turner, J.D. (1984). "Forest Trees of Australia" (Thomas Nelson and Commonwealth Scientific and Industrial Research Organisation: Melbourne).
- Boland, D.J., Brooker, M.I.H., Turnbull, J.W. and Kleinig, D.A. (1980). "*Eucalyptus* Seed" (Commonwealth Scientific and Industrial Research Organisation: Melbourne).
- Boomsma, C.D. (1980). One new species and two new subspecies of *Eucalyptus* for southern Australia. *J. Adel. Bot. Gard.* 2: 293-298.
- Boomsma, C.D. (1981). "Native Trees of South Australia" (Woods & Forests Department: Adelaide).
- Briggs, B.G. and Johnson, L.A.S. (1979). Evolution in the Myrtaceae - evidence from inflorescence structure. *Proc. Linn. Soc. NSW*. 102: 157-256.
- Briggs, J.D. and Leigh, J. (1995). "Rare or Threatened Australian Plants" (Commonwealth Scientific and Industrial Research Organisation: Australia).
- Brock, J. (1988). "Top End Native Plants" (John Brock: Winnellie, Australia).
- Brooker, M.I.H. (2000). A new Classification of the Genus *Eucalyptus* L'Her. (Myrtaceae). *Australian Systematic Botany* 13: 79-148.
- Brooker, M.I.H. and Hopper, S.D. (1991). A taxonomic revision of *Eucalyptus wandoo*, *E. Redunca*, and allied species (*Eucalyptus* series *Levispermae* Maiden-Myrtaceae) in Western Australia. *Nuytsia* 8: 1-189.
- Brooker, M.I.H., Barton, A.F.M., Rockel, B.A. and Tjandra, J. (1988). The cineole content and taxonomy of *Eucalyptus kochii* Maiden & Blakely (Myrtaceae) and *E. Plenissima* (Gardner) Brooker, with an appendix establishing these two taxa as subspecies. *Australian Journal of Botany* 36: 119-129.
- Brooker, M.I.H. and Hopper, S.D. (1993). New series, subseries, species and subspecies of *Eucalyptus* (Myrtaceae) from Western Australia and from South Australia. *Nuytsia* 9: 1-68.
- Brooker, M.I.H. and Hopper, S.D. (2002). Taxonomy of species deriving from the publication of *Eucalyptus* subseries *Cornutae* Benth. (Myrtaceae). *Nuytsia* 14(3): 325-360.
- Brooker, M.I.H. and Kleinig, D.A. (1983). "Field Guide to Eucalypts", Vol. 1 (Inkata Press: Melbourne).

- Brooker, M.I.H. and Kleinig, D.A. (1990). "Field Guide to Eucalypts", Vol. 2 (Inkata Press: Melbourne).
- Brooker, M.I.H. and Kleinig, D.A. (1994). "Field Guide to Eucalypts", Vol. 3 (Inkata Press: Melbourne).
- Brooker, M.I.H. and Kleinig, D.A. (1999). "Field Guide to Eucalypts", Vol. 1 Revised Edition (Bloomings Books: Melbourne).
- Brooker, M.I.H., Nicolle, D. & French M.E. (2014) A new subspecies of the threatened monocalypt *Eucalyptus insularis* (Myrtaceae) from Western Australia. *Nuytsia* 24: 249-253.
- Brooker, M.I.H. and Slee. A.V. (1993). *Eucalyptus series Brevifoliae* (Myrtaceae), a new series of northern Australian eucalypts. *Nuytsia* 9: 307-314.
- Brooker, M.I.H. and Slee. A.V. (1996). New Taxa and some new nomenclature in *Eucalyptus*. *Muelleria* 9: 75-85.
- Brooker, M.I.H. and Slee. A.V. (1996). Myrtaceae, *Eucalyptus*. In "Flora of Victoria, vol. 3", N.G. Walsh and T.J. Entwistle (Eds) (Inkata Press: Melbourne).
- Brooker, M.I.H, Slee, A.V., Connors, J.R. and Duffy, S. (2002). EUCLID – Eucalypts of southern Australia. CD. CSIRO Publishing, Melbourne.
- Brown, R. (1814). *Eudesmia tetragona*. In M. Flinders, "A Voyage to Terra australis" 2: 599 (G. and W. Nicol: London).
- Byrne, M.G. and Walker, E. (2003) Genetic analysis of *Eucalyptus bennettiae*. Unpublished report, Science Division, Dept. Conservation & Land management, Western Australia.
- Butcher, P. A., M. W. McDonald & J. C. Bell (2009), Congruence between environmental parameters, morphology and genetic structure in Australia's most widely distributed eucalypt, *Eucalyptus camaldulensis*. *Tree Genetics & Genomes* 5:189–210.
- Carolin, R. and Tindale, M.D. (1993). *Eucalyptus*. In "Flora of the Sydney Region" (Griffin Press: Netley, South Australia).
- Carr, G.W., Yugovic, J.V., Robinson, K.E. (1992) "Environmental weed invasions in Victoria: conservation and management implications." Dept Conservation and Environment, and Ecological Horticulture Pty. Ltd.; Melbourne.
- Chappill, J., Ladiges, P.Y., Boland, D. (1986) *Eucalyptus aromaphloia* Pryor & Willis - a redefinition of geographical and morphological boundaries. *Australian Journal Botany* 34:395-412.
- Chippendale, G.M. (1988). Myrtaceae - *Eucalyptus, Angophora*. "Flora of Australia", Vol. 19 (Australian Government Publishing Service: Canberra).
- Costermans, L. (1981). "Native Trees and Shrubs of South-eastern Australia" (Rigby: Adelaide, Sydney, Melbourne, Brisbane, New York, London).
- Crisp, M.D., Cook, L.G. and Steane, D.A. (2004). Radiation of the Australian flora: what can comparisons of molecular phylogenies across multiple taxa tell us about the evolution of diversity in present-day communities. *Phil. Trans. R. Soc. Lond. B* 359: 1551-1571.
- Crisp, M. D., Cook, L. G., and Steane, D.A. (2005). Molecular dating and eucalypts: reply to Ladiges and Udovicic. *Australian Systematic Botany* 18, 295-296.
- Curtis, W.M. (1956). "The Students Flora of Tasmania", Part 1 (Government Printer: Hobart).
- Duncan, F. (1996). A field key to Tasmanian species of eucalypts. *Tasforests* 8: 27–38.
- Franklin DC, Sanders C. 2017. The strange case of Queensland Peppermint (*Eucalyptus exserta*) on Dunk Island. *North Queensland Naturalist* 47: 56-64.
- French, M.E. (2012) "Eucalypts of Western Australia's wheatbelt." (356 pp., published by the author, ISBN 978-0-646-59066-0; see www.eucalyptsofwa.com.au).
- French, M.E., Nicolle, D. (2019) "Eucalypts of Western Australia the South-west coast and ranges." (333 pp., published by the authors, ISBN 978-0-646-80613-6; see www.eucalyptsofwa.com.au).
- Grayling, P.M. and Brooker, M.I.H. (1992). Four new species of *Eucalyptus* from Western Australia. *Nuytsia* 8: 209–218.
- Grayling, P.M. and Brooker, M.I.H. (1996). Evidence for the identity of the hybrid *Eucalyptus 'brachyphylla'* (Myrtaceae) from morphology and essential oil composition. *Australian J. Botany* 44: 1–13.
- Hall, N. et al. (1970–81). Forest Tree Leaflet Series (Australian Government Publishing Service: Canberra).
- Hall, N. (1978). "Botanists of the Eucalypts" (Commonwealth Scientific and Industrial Research Organization Australia).
- Hall, N. (1979, 1982, 1989) Supplements 1,2 & 3 to "Botanists of the Eucalypts" (Commonwealth Scientific and Industrial Research Organization Australia).
- Henderson, R.J.F. (Ed.) (2002). *Names and Distributions of Queensland Plants, Algae and Lichens*.(new edition)(Toowong: Queensland Environmental Protection Agency).

- Hill, K.D. (1991). *Eucalyptus*. In "Flora of New South Wales", Vol. 2 (Ed. Gwen J. Harden) (New South Wales University Press: Sydney).
- Hill, K.D. (1997) New taxa in *Eucalyptus* (MYRTACEAE) from New South Wales and Queensland. *Telopea* 7: 187–198.
- Hill, K.D. (1998) New species in *Angophora* and *Eucalyptus* (MYRTACEAE) from New South Wales. *Telopea* 7: 97–109.
- Hill, K.D. (1999) A taxonomic revision of the White Mahoganies, *Eucalyptus* series *Acmenoides* (MYRTACEAE). *Telopea* 8: 219–247.
- Hill, K.D. (1991) in Harden, G.J. (ed), *Flora of New South Wales*, vol. 2. New South Wales University Press, Kensington, NSW, Australia.
- Hill, K.D. and Johnson, L.A.S. (1991). Systematic studies in the eucalypts - 5. New taxa and combinations in *Eucalyptus* (Myrtaceae). *Telopea* 4: 561–634.
- Hill, K.D. and Johnson, L.A.S. (1994). Systematic studies in the eucalypts - 6. A revision of the coolibahs, *Eucalyptus* subgenus *Sympyomyrtus* section *Adnataria* series *Oligantha* subseries *Microthecosae* (Myrtaceae). *Telopea* 5: 743–771.
- Hill, K.D. and Johnson, L.A.S. (1995). Systematic studies in the eucalypts - 7. A revision of the bloodwoods, genus *Corymbia* (Myrtaceae). *Telopea* 6: 185–504.
- Hill, K.D. and Johnson, L.A.S. (1998). Systematic studies in the eucalypts - 8. A review of the Eudesmoid eucalypts, *Eucalyptus* subgenus *Eudesmia* (Myrtaceae). *Telopea* 7: 375–414.
- Hill, K.D. and Johnson, L.A.S. (2000). Systematic studies in the eucalypts - 10. New tropical and subtropical eucalypts from Australia and New Guinea. *Telopea* 8: 503–539.
- Hill, K.D., Johnson, L.A.S. and Blaxell, D.F. (2001). Systematic studies in the eucalypts. 11- New taxa and combinations in *Eucalyptus* section *Dumaria* (Myrtaceae). *Telopea* 9: 259–318.
- Hopper, S.D. and McQuoid, N.K. (2009) Two new rare species and a new hybrid in *Eucalyptus* series *Tetrapterae* (Myrtaceae) from southern Coastal Western Australia. *Australian Systematic Botany* 22: 180–192.
- Hussey, B.M.J., Keighery, G.J., Cousens, R.D., Dodd, J., Lloyd, S.G. *Western Weeds, a guide to the weeds of Western Australia*. The Plant Protection Society of Western Australia. Victoria Park: Western Australia (1997).
- Johnson, L.A.S. (1987). Aspects of the systematics of the eucalypts. *Australian Systematic Botany Society Newsletter* 53: 91–93.
- Johnson, L.A.S. and Hill, K.D. (1990). Systematic studies in the eucalypts - 2. A revision of the gimlets and related species: *Eucalyptus* extracodical series *Salubres* and *Annulatae* (Myrtaceae). *Telopea* 4: 201–222.
- Johnson, L.A.S. and Hill, K.D. (1990). New taxa and combinations in *Eucalyptus* and *Angophora* (Myrtaceae). *Telopea* 4: 37–108.
- Johnson, L.A.S. and Hill, K.D. (1999). Systematic studies in the eucalypts - 9. A review of the series *Sociales* (*Eucalyptus* subgenus *Sympyomyrtus*, Section *Bisectaria*) (Myrtaceae). *Telopea* 8: 165–218.
- Kelly, A.E., Napier, A.C. and Hopper, S.D. (1995). Survey of rare and poorly known eucalypts of Western Australia. *CALM Science* supplement 2: 1–206. Lacey, C.J. (1974). Rhizomes in Tropical Eucalypts and their role in Recovery from Fire Damage. *Australian Journal of Botany* 22: 29–38.
- Ladiges, P.Y. (1984). A comparative study of trichomes in *Angophora* Cav. and *Eucalyptus* L'Hér. – a question of homology. *Australian Journal of Botany* 32: 561–574.
- Ladiges, P.Y., Humphries, C.J. and Brooker, M.I.H. (1987). Cladistic and biogeographic analysis of Western Australian species of *Eucalyptus* L'Hér., informal subgenus *Monocalyptus* Pryor and Johnson. *Australian Journal of Botany* 35: 251–181.
- Ladiges, P.Y. and Udovicic, F. (2000). Comment on a New Classification of the Eucalypts, *Australian Systematic Botany* 13: 149–152.
- Ladiges, P.Y. and Udovicic, F. (2005). Comment on molecular dating of the age of eucalypts. *Australian Systematic Botany* 18: 291–293.
- Ladiges, P.Y., Udovicic, F. and Drinnan, A. N. (1995). Eucalypt phylogeny—molecules and morphology. *Australian Systematic Botany* 8: 483–497.
- Ladiges, P.Y., Udovicic, F. and Nelson, G. (2003). Australian biogeographical connections and the phylogeny of large genera in the plant family Myrtaceae. *Journal of Biogeography* 30: 989–998.
- Larmour, J.S., Whitfeld, S.J., Harwood, C.E. and Owen, J.V. (2000). Variation in frost tolerance and seedling morphology of the spotted gums *Corymbia maculata*, *C. Variegata*, *C. Henryi* and *C. Citriodora*. *Australian Journal of Botany* 48: 445–453.
- Larsen, E. (1965). A study of the variability of *Eucalyptus maculata* and *E. Citriodora* Hook. Australian Forestry and Timber Bureau Leaflet No. 95, Canberra.
- Lazarides, M. and Hince, B. (eds) (1993). "CSIRO Handbook of Economic Plants in Australia" (Commonwealth Scientific and Industrial Research Organisation: Australia).
- Leach, G.J. (1986). A revision of the Genus *Angophora* (Myrtaceae). *Telopea* 2(6):749–779.

McDonald, M.W. and Bean, A.R. (2000). A new combination in *Corymbia* section *Politaria*: *C. Citriodora* subsp. *variegata* (Myrtaceae). *Austrobaileya* 5(4): 735–736.

McDonald, M.W., Butcher, P.A., Bell, J.C. and Larmour, J.S. (2000). Intra- and interspecific allozyme variation in eucalypts from the spotted gum group *Corymbia* section *Politaria* (Myrtaceae). *Australian Systematic Botany* 13: 491–507

Maiden, J.H. (1903–33). "A Critical Revision of the Genus Eucalyptus", Vols 1–8 (Government Printer: Sydney).

Maiden, J.H. (1922). "A Critical Revision of the Genus Eucalyptus", Vols 6: 166 (Government Printer: Sydney).

Maiden, J.H. (1904–25). "The Forest Flora of New South Wales", Vols 1–8 (Government Printer: Sydney).

Maslin, B.R. (2001). "Wattle: Acacias of Australia", CD-ROM (ABRS and CALM identification series). CSIRO Publishing: Melbourne)

McDonald, M.W., Brooker, M.I.H., Butcher, P.A. (2009). A taxonomic revision of *Eucalyptus camaldulensis* (Myrtaceae). *Australian Systematic Botany* 22: 257–285.

Mueller, F. (1858). Monograph of the Eucalypti of tropical Australia; with an arrangement for the use of colonists according to the structure of the bark. *Journal of the Linnean Society of London: Botany* 3, 81–101.

Mueller, F. (1879–84). "Eucalyptographia" (Government Printer: Melbourne).

Neish, P.G., Drinnan, A.N., Ladiges, P.Y., (1995). Anatomy of leaf-margin lenticels in *Eucalyptus denticulata* and three other eucalypts. *Australian Journal of Botany* 43: 211–221.

Nicolle, D. (1997). "Eucalypts of South Australia". (Dean Nicolle: Morphett Vale).

Nicolle, D. (1997a). A taxonomic revision of the *Eucalyptus striatocalyx* group (*Eucalyptus* series *Rufispermae*: Myrtaceae). *Nuytsia* 13: 365–382.

Nicolle, D., (2000). New Taxa of *Eucalyptus* informal subgenus *Sympyomyrtus* (Myrtaceae), endemic to South Australia. *J. Adelaide Bot. Gard.* 19: 83–94.

Nicolle, D., (2000). Three new taxa of *Eucalyptus* subgenus *Eudesmia* (Myrtaceae) from Queensland and Western Australia. *Nuytsia* 13: 317–329.

Nicolle, D. (2000). A review of the *Eucalyptus calycogona* group (Myrtaceae) including the description of three new taxa from southern Australia. *Nuytsia* 13: 303–315.

Nicolle, D. (2001). Notes on *Eucalyptus* series *Orbifoliae* (Myrtaceae) including a new species from Central Australia. *Nuytsia* 13: 487–493.

Nicolle, D. (2005). A rare and endangered new subspecies of *Eucalyptus sargentii* (Myrtaceae) with high potential for revegetation of saline sites from south-western Australia and notes on *E. Diminuta* and *E. Sargentii* subsp. *fallens*. *Nuytsia* 15(3): 395–402.

Nicolle, D. (2005a). A taxonomic revision and morphological variation within *Eucalyptus* series *Subulatae* subseries *Decussatae* and *Decurrentes* (Myrtaceae) of Australia. *Australian Systematic Botany* 18: 473–524.

Nicolle, D. (2006) Eucalypts of Victoria and Tasmania. Bloomings Books: Melbourne.

Nicolle, D. (2009) Four new obligate seeder taxa of *Eucalyptus* series *Rufispermae* (Myrtaceae) from the transitional rainfall zone of south-western Australia. *Nuytsia* 19(1): 77–97.

Nicolle, D. (2014) The scantily collected *Corymbia punkapitiensis* (Myrtaceae) is not distinct from the widespread arid-zone species *C. aparrerinja*. *Nuytsia* 24: 263–267.

Nicolle, D. (2019) "Classification of the Eucalypts (Angophora, Corymbia, Eucalyptus)" version 4 April 2019, at this address:
<http://www.dn.com.au/Classification-Of-The-Eucalypts.pdf>

Nicolle, D. & Brooker, M.I.H. (1998). *Eucalyptus splendens* subsp. *arcana* (MYRTACEAE). An endangered new subspecies endemic to South Australia. *J. Adelaide Bot. Gard.* 18: 103–6.

Nicolle, D. & Brooker, M.I.H. (2005). Reassessment of the saline-dwelling *Eucalyptus spathulata* complex (Myrtaceae) from southern Western Australia. *Nuytsia* 15: 403–29.

Nicolle, D. & Brooker, M.I.H. (2008). An updated diagnosis for *Eucalyptus* series *Accedentes* (Myrtaceae) and a new mallee species for the series occurring in far western Australia. *Nuytsia* 18: 189–96.

Nicolle, D., Byrne, M. and Whalen, M., (2005). A taxonomic revision and morphological variation within *Eucalyptus* series *Subulatae* subseries *Oleagineae* (Myrtaceae), including the oil mallee complex, of south-western Australia. *Australian Systematic Botany* 18: 525–553.

Nicolle, D. & Conran, J.G. (1999). Variation in the *Eucalyptus flocktoniae* complex (Myrtaceae) and Description of four new taxa from Southern Australia. *Australian Systematic Botany* 12: 207–239.

- Nicolle, D. & French, M.E. (2012). Two new mallee box species (*Eucalyptus* sect. *Adnataria* series *Lucasianiae*; Myrtaceae) from the Pilbara region of Western Australia. *Nuytsia* 22(1): 21-23 (2012).
- Nicolle, D. & French, M.E. (2012). A review of *Eucalyptus erythronema* (Myrtaceae). *Nuytsia* 22: 455-463.
- Nicolle, D. & French, M.E. (2012a). A review of *Eucalyptus* series *Falcatae* from south-western Australia, including description of new taxa and comments on the probable hybrid origin of *E. balanites*, *E. balanopelex* and *E. phylacis*. *Nuytsia* 22: 409-454.
- Nicolle, D., M.E. French & K.R. Thiele (2012). Notes on the identity and status of Western Australian phrase names in *Corymbia* and *Eucalyptus*. *Nuytsia* 22(3): 107-108
- Nicolle, D., George, A. & Weston, P.G. (2019) Application of the name *Eucalyptus obtusiflora* DC. (Myrtaceae) *Telopea* 22: 61-66.
- Nicolle, D. & Jones, R.C. (2018) A revised classification for the predominantly eastern Australian *Eucalyptus* subgenus *Sympphyomyrtus* sections *Maidenaria*, *Exsertaria*, *Latoangulatae* and related smaller sections (Myrtaceae). *Telopea* 21: 129-146
- Nicolle, D., Whalen, M.A. and Mackay, D.A. (2006). Morphological variation and phylogenetic relationships within *Eucalyptus* series *Subulatae* (Myrtaceae) of southern Australia. *Australian Systematic Botany* 19: 59-86.
- Nicolle, D., and Whalen, M., (2006). A taxonomic revision and morphological variation within *Eucalyptus* series *Subulatae* subseries *Spirales* (Myrtaceae) of southern Australia. *Australian Systematic Botany* 19: 87-112.
- Paczkowska, G. and Chapman, A.R. (2000). "The Western Australian Flora: a descriptive catalogue." (Perth, W.A.: W.A. Herbarium: CALM: W.A. Botanical Bardens and Parks Authority).
- Parra-O, C., Bayly, M., Udovicic, F. and Ladiges, P. (in press/2006). ETS sequences support the monophyly of the eucalypt genus *Corymbia* (Myrtaceae). *Taxon* 55: (page numbers unknown)
- Pfeil, B.E. and Henwood, M.J. (2004) Multivariate analysis of morphological variation in *Eucalyptus* series *Psathyroxyla* Blakely (Myrtaceae): taxonomic implications. *Telopea* 10: 711-724
- Potts, B.M. (1989) Population variation and conservation status of a rare Tasmanian endemic *Eucalyptus cordata*. Research Report No. 4. Tasmanian Forest research Council, Hobart.
- Potts, B.M., Potts, W.C. and Kantvilas, G., (2001) The Miena Cider Gum, *Eucalyptus gunnii* subsp. *divaricata* (Myrtaceae): a taxon in rapid decline. *Papers & Procs. Roy. Soc. Tasmania* 135: 57-61.
- Pryor, L.D. (1976). "The Biology of Eucalypts" (Edward Arnold: London).
- Pryor, L.D. and Johnson, L.A.S. (1971). "A Classification of the Eucalypts". Australian National University Press: Canberra.
- Pryor, L.D. and Johnson, L.A.S. (1981). *Eucalyptus*, the universal Australian. In "Ecological Biogeography of Australia", Vol. 1, (Ed. A. Keast) (Junk: The Hague).
- Rankin, D.J.W. (1998) Patterns of Variation and Relationships in the Peppermint Eucalypts (*Eucalyptus* L'Her. Ser. *Radiatae* Chippendale). Ph.D. Thesis. Department of Botany, La Trobe University, Bundoora, Victoria, Australia.
- Rossetto, M., Lucarotti, F., Hopper, S.D., Dixon, K.W. (1996). DNA fingerprinting of *Eucalyptus graniticola*: a critically endangered relict species or a rare hybrid? *Heredity* 70:310-318.
- Rossetto, M., Jezierski, G., Hopper, S.D. and Dixon, K.W., (1999). Conservation genetics and clonality in two critically endangered eucalypts from the highly endemic south-western Australian flora. *Biological Conservation* 88: 321.
- Rule, K. (1996) Three new Victorian species related to *Eucalyptus aromaphloia* L.D. Pryor & J.H. Willis and notes on the polymorphic nature of that species *Muelleria* 9: 133-143.
- Rule, K. (2004) New taxa in *Eucalyptus* (Myrtaceae) for Victoria and notes on Victorian populations of *Eucalyptus calycogona*. *Muelleria* 20: 9-32.
- Rule, K. (2008) A new species and a new combination in the shining peppermint group of *Eucalyptus* and notes on the distribution of *Eucalyptus willisii* sens. Strict. *Muelleria* 26: 88-97
- Rule, K. (2009) *Eucalyptus arcana* (Myrtaceae), a new combination for a former subspecies of *Eucalyptus splendens* and notes on a population of a scentbark occurring near Moonlight Head in south-west Victoria. *Muelleria* 27: 230-232.
- Rule, K. (2011) Six new infraspecific taxa in *Eucalyptus* (Myrtaceae) for Victoria. *Muelleria* 29: 3-15.
- Rule, K. (2018) *Eucalyptus wimmerensis* revisited and notes on morphologies and taxonomies of five Victorian mallee-boxes. *Muelleria* 37: 39-64.
- Rule, K., Walsh, N.G. (2018) Two new subspecific taxa within *Eucalyptus* series *Argyrophyllae* for Victoria. *Muelleria* 36: 81-91.
- Schauer, J.C. (1844). *Sympphyomyrtus*. In J.G.C. Lehmann, "Plantae Preissiana", Vol. 1 (Sumptibus Meissneri: Hamburg).

Steane, D.A., McKinnon, G.E., Vaillancourt, R.E. and Potts, B.M. (1999). ITS sequence data resolve higher level relationships among the eucalypts. *Molecular Phylogenetics and Evolution* 12: 215-223.

Steane, D.A., Nicolle, D., McKinnon, G.E., Vaillancourt, R.E., and Potts, B.M. (2002). Higher-level relationships among eucalypts are resolved by ITS-sequence data. *Australian Systematic Botany* 15: 49–62.

Stokoe, R.L., Shepherd, M., Lee, D.J., Nikles, D.G., Henry, R.J. (2001) Natural Inter-subgeneric Hybridization Between *Eucalyptus acmenoides* Schauer and *Eucalyptus cloeziana* F.Muell. (Myrtaceae) in Southeast Queensland. *Annals of Botany* 88: 563-570.

Sytsma, K.J., Litt, A., Zjhra, M.L., Pires, C., Nepokroeff, M., Conti, E., Walker, J. and Wilson, P.G. (2004). Clades, clocks, and continents: historical and biogeographical analysis of Myrtaceae, Vochysiaceae, and relatives in the southern hemisphere. *International Journal of Plant Sciences* 165 (4 Suppl.): S85-S105.

Thackway, R. and Cresswell, I.D. (1995). "An interim biogeographic regionalisation for Australia: a framework for setting priorities in the national reserves system cooperative program, version 4.0." (Australian Nature Conservation Agency: Canberra)

Thiele, K. and Ladiges, P.Y. (1988). A cladistic analysis of *Angophora* Cav. (Myrtaceae). *Cladistics* 4: 23–42.

Udovicic, F. and Ladiges, P.Y. (2000). Informativeness of nuclear and chloroplast DNA regions and the phylogeny of the eucalypts and related genera (Myrtaceae). *Kew Bulletin* 55: 633-645.

Udovicic, F., McFadden, G.I. and Ladiges, P.Y. (1995). Phylogeny of *Eucalyptus* and *Angophora* based on 5S rDNA spacer sequence data. *Molecular Phylogenetics and Evolution* 4: 247-256.

Watson, R.J. & Ladiges (1987) Variation in *Eucalyptus cypellocarpa* L.Johnson in Victoria, and a new taxon from the Grampian Range and Anglesea. *Brunonia* 10: 159-76.

Whittock, S., Steane, D.A., Vaillancourt, R.E. and Potts, B.M. (2003). Molecular evidence shows that the tropical boxes (*Eucalyptus* subgenus *Minutifructus*) are over-ranked. *Transactions of the Royal Society of South Australia* 127: 27-32.

Williams, J.B. (1992). "New England Eucalypts" (Department of Botany, University of New England: Armidale).

Williams, K.J. and Potts, B.M. (1996). The natural distribution of *Eucalyptus* species in Tasmania. *Tasforests* 8: 39–165.

Willis, J.H. (1972). "A Handbook to Plants in Victoria", Vol. 2 (Melbourne University Press: Melbourne).

Wright, I.J. and Ladiges, P.Y. (1997). Geographic variation in *Eucalyptus diversifolia* (Myrtaceae) and the recognition of new subspecies *E. Diversifolia* subsp. *hesperia* and *E. Diversifolia* subsp. *megacarpa*. *Australian Systematic Botany* 10: 651–680.

Copyright © CANBR 2020, all rights reserved.



Web edition hosted at <https://apps.lucidcentral.org/euclid>