


WATTLE

Acacias of Australia

Acacia ataxiphylla subsp. *magna* Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com



Acacia ataxiphylla subsp. magna occurrence map.
Occurrence map generated via Atlas of Living Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Seemingly restricted to the Tammin area.

Description

Spreading subshrub to c. 0.3 m high, with ascending to erect branches. Branchlets tomentulose and flattened or angled at extremities, glabrescent. Phyllodes somewhat coarse, mostly 40–60 mm long, infrequently 20–30 mm long, 1.5–2 mm wide. Peduncles 4–7 (~10) mm long, ±stout, 0.5–0.8 mm diam. (when dry), tomentulose; heads 7–9 mm diam. (when dry), c. 20-flowered; bracteoles 2–2.5 mm long. Calyx 3/4 to fully the length of the corolla; petals 2.5–3 mm long, nerveless or faintly flabellate-striate and lacking a central nerve.

Habitat

Grows in sand over laterite in low heath.

Specimens

W.A.: type locality, M.D.Crisp 6595 (CANB, NSW, PERTH).

Notes

May resemble some forms of *A. stenoptera*.

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

Minor edits by J.Rogers

B.R.Maslin

This identification key and fact sheets are available as a mobile application:



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.