

WATTLE

Acacias of Australia

Acacia brachyphylla Benth. var. *brachyphylla*



Occurrence map generated via Atlas of Living Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Occurs from near Tammin SE to near Lake King, south-western W.A.

Description

Phyllodes 3–12 mm long; apex not **recurved**, apiculate to **mucronate**; **gland** in basal half of **phyllode** on central **nerve**. Pods to 5 cm long, 3–4.5 mm wide, not **pruinose**, **pilose** but sometimes partly **glabrescent**.

Habitat

Grows in sandy loam and gravel, usually in mallee.

Specimens

W.A.: Swan R, *J.Drummond s.n.* (K); 10.5 km N of Bungalla turn-off [near Tammin] from Great Northern Hwy, *M.D.Tindale 3715* (AD, BRI, CANB, K, MEL, NSW, PERTH, US).

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

R.S.Cowan

This identification key and fact sheets are available as a mobile application:



Australian Government
Department of the Environment and Energy



Department of
Biodiversity, Conservation
and Attractions
Western Australian Herbarium



Australian
Biological
Resources
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.