


# WATTLE

## *Acacias of Australia*

### *Acacia browniana* var. *intermedia* (E.Pritz.) Maslin



#### Family

Fabaceae

#### Distribution

Sporadic from Boyagin Rock S to Porongurup Ra., W.A.

#### Description

Shrub 0.5–1.5 m high. Branchlets puberulous to shortly pilose, sometimes villous; hairs ± patent and straight. Distal pinnae 2–6 (~12) mm long; pinnules 2–5 pairs, 2–4 mm long, 1–1.5 mm wide, with recurved to revolute margins, slightly thickened, sparsely to densely puberulous to hirsutellous. Flower-heads light golden to mid-golden.

#### Habitat

Grows in shallow sandy or rocky soil, usually in Jarrah (*Eucalyptus marginata*) forest or mallee communities.

#### Specimens

W.A.: Boyagin Rock Reserve, M.D.Crisp 6658 (PERTH); half way up Bluff Knoll, Stirling Ra., B.R.Maslin 1101 (K, PERTH).

#### Notes

Branchlet and pinnule indumentum on specimens from the north of the range is usually more conspicuous than on those from the Stirling and Porongorup Ranges. Sometimes confused with var. *endlicheri*.

#### FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

#### Author

B.R.Maslin

This identification key and fact sheets are available as a mobile application:



Australian Government  
Department of the Environment and Energy



Department of  
Biodiversity, Conservation  
and Attractions  
Western Australian Herbarium



Australian  
Biological  
Resources  
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>  
Copyright 2018. All rights reserved.