

WATTLE

Acacias of Australia


Acacia brunoioides subsp. *granitica* Pedley



Source: Australian Plant Image Index (a.30968).
ANBG © M. Fagg, 1998



Source: Australian Plant Image Index (a.30969).
ANBG © M. Fagg, 2000



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com



Acacia brunoioides subsp. granitica occurrence map.
Occurrence map generated via Atlas of Living Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Restricted to the elevated area from Stanthorpe to Wallangarra, south-eastern Qld. and in the Wallangarra area (Backwater and Torrington districts) in northern N.S.W.

Description

Shrub forming thickets. Phyllodes 4–12 mm long, abruptly narrowed at apex into a **mucro**. Peduncles about equal to phyllodes in length. Flower-heads golden. Pods 9–15 mm wide.

Specimens

Qld: 4 km NE of Wallangarra, I.R.Telford 3147 (BRI, NSW). N.S.W.: Torrington State Recreation Area, c. 3 km NW of Carpet Snake Gap, 26 Mar. 1997, C.E.Nano & L.M.Copeland, s.n. (BRI, CANB, NSW).

Notes

Similar to *A. handonis* which is distinguished by asperulous-tuberculate phyllodes and pods with cartilaginous excrescences on the valves.

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

Minor edits by B.R.Maslin, J.Reid & J.Rogers

B.R.Maslin

This identification key and fact sheets are available as a mobile application:



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.