


WATTLE

Acacias of Australia

Acacia centrinervia Maiden & Blakely



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com



Acacia centrinervia occurrence map.
Occurrence map generated via Atlas of Living
Australia (<https://www.ala.org.au>).

Family

Fabaceae

Description

Very closely related to *A. lineata*, differing primarily in the following ways. Phyllode midrib central. Peduncles puberulous. Pods and seeds not seen.

Notes

This taxon was originally described as *A. lineata* Group 1 by J.H.Maiden, J. & *Proc. Roy. Soc. New South Wales* 49: 497 (1916), but a decade later formally described as *A. centrinervia*. It was noted by B.R.Maslin, *Fl. Australia* 11A: 591 (2001) as a variant under *A. lineata* of which it may indeed represent an aberrant form. Except for the type from Parkes, N.S.W., the only other presumably naturally occurring material seen of it is from near Herries Ra., near Inglewood, Qld, collected in Oct. 1922 (C.J.Smith 2, BRI, NSW). 'Typical' *A. lineata* occurs at both Parkes and Inglewood. Although *A. centrinervia* is provisionally recognized here its taxonomic status should be reassessed in the light of a comprehensive review of *A. lineata*.

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

B.R.Maslin

This identification key and fact sheets are available as a mobile application:



Australian Government
Department of the Environment and Energy



Department of
Biodiversity, Conservation
and Attractions
Western Australian Herbarium



Australian
Biological
Resources
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.