

WATTLE

Acacias of Australia

Acacia chapmanii R.S.Cowan & Maslin subsp. *chapmanii*



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com



Acacia chapmanii subsp. *chapmanii* occurrence map.
Occurrence map generated via Atlas of Living Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Known only from near Three Springs and near Marchagee, south-western W.A.

Description

Stipules 1.5–3 mm long, **rigid, spinose**; **gland** 0.5–3 mm above **phyllode** base, commonly absent. **Phyllodes** **patent** to **reflexed, terete, straight**. **Heads** 14–19-flowered; **bracteoles** insignificant, with **laminae** about same width as **sepals**.

Habitat

Grows in sand, laterite and clay loam, sometimes on saline flats, in heath, scrub and disturbed areas.

Specimens

W.A.: near Three Springs [precise locality withheld for conservation reasons], *C.Chapman s.n.* (CANB, G, MEL, NSW, PERTH); near Marchagee, *B.R.Maslin 5305* (K, PERTH).

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

Minor edits by B.R.Maslin & J.Reid

R.S.Cowan

This identification key and fact sheets are available as a mobile application:



Australian Government
Department of the Environment and Energy



Department of
Biodiversity, Conservation
and Attractions
Western Australian Herbarium



Australian
Biological
Resources
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.