

# WATTLE

## *Acacias of Australia*

### *Acacia julifera* subsp. *curvinervia* Maiden



Source: Australian Plant Image Index (a.31409).  
ANBG © M. Fagg, 1993



Source: WorldWideWattle ver. 2.  
Published at: [www.worldwidewattle.com](http://www.worldwidewattle.com)  
J. & M. Simmons



Source: Australian Plant Image Index  
(dig.25612).  
ANBG © M. Fagg, 2012



Source: Australian Plant Image Index (a.31410).  
ANBG © M. Fagg, 1993



Source: Australian Plant Image Index (a.9948).  
ANBG © M. Fagg, 1992



Source: Australian Plant Image Index  
(dig.25614).  
ANBG © M. Fagg, 2012



Source: Australian Plant Image Index  
(dig.25615).  
ANBG © M. Fagg, 2012



Source: Australian Plant Image Index  
(dig.25630).  
ANBG © M. Fagg, 2012




Source: Australian Plant Image Index  
(dig.25613).  
ANBG © M. Fagg, 2012



Source: WorldWideWattle ver. 2.  
Published at: [www.worldwidewattle.com](http://www.worldwidewattle.com)  
See illustration.



Source: WorldWideWattle ver. 2.  
Published at: [www.worldwidewattle.com](http://www.worldwidewattle.com)  
See illustration.



Acacia julifera subsp. curvinervia occurrence map.  
Occurrence map generated via Atlas of Living Australia (<https://www.ala.org.au>).

## Family

Fabaceae

## Distribution

Occurs in Qld, between 25°S and 20°30'S, and between 145°30'E and 148°20'E.

## Description

Branchlets with scattered hairs or glabrous. Juvenile phyllodes densely pubescent with youngest ones red-brown, later ±glabrous. Mature phyllodes obliquely elliptic, (2–) 3–6 (–8) cm long, 6–16 (–23) mm wide, l:w = 2.5–5 (–8). Spikes 2.5–3 cm long. Pods terete, 2–5 mm wide. Seeds 3–4.5 mm long, 1.3–1.8 mm wide.

## Phenology

Flowers May–July.

## Habitat

Grows in yellow earths or stony skeletal soils on laterite or trachyte, in dense thickets with other *Acacia* spp. or in low eucalypt woodland.

## Specimens

Qld: 6.4 km SE of Mt Coolan T.S. [Township], L.Adams 1105 (CANB, NSW); Mt Zamia, near Springsure, D.F.Blaexell 1498 & J.Armstrong (BRI, CANB, NSW); on road to Freds Gorge, Minerva Hills Natl Park, R.Johnstone 707 & S.Davies (BRI, PERTH); Burdekin Crossing, near Glendon, L.S.Smith 4609 (BRI, NSW).

## Notes

According to L.Pedley, *Austrobaileya* 1: 140 (1978), subsp. *curvinervia* (as *A. curvinervia*) intergrades with the typical subspecies on the eastern side of its range.

## FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

## Author

Dr M.D.Tindale and Dr P.G.Kodela with the assistance of M.Bedward, S.J.Davies, C.Herscovitch, D.A.Keith and/or D.A.Morrison

---

This identification key and fact sheets are available as a mobile application:



Australian Government  
Department of the Environment and Energy



Department of  
Biodiversity, Conservation  
and Attractions  
Western Australian Herbarium



Australian  
Biological  
Resources  
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>  
Copyright 2018. All rights reserved.