

WATTLE

Acacias of Australia

Acacia latipes Benth. subsp. *latipes*



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
J. & M. Simmons



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
See illustration.



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
See illustration.



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
See illustration.



Acacia latipes subsp. latipes occurrence map.
Occurrence map generated via Atlas of Living Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Occurs from Hamelin to Quairading with scattered populations from near Lake King to E of Scaddan, W.A.

Description

Phyllodes **narrowly oblong-elliptic**, **elliptic**, widely **elliptic**, subtriangular, **linear** or **subulate**, **straight** to very shallowly **recurved**, (0.7–) 1–2.5 (–4) cm long, 1.5–4 (–7) mm wide, mostly 3.5–8 times as long as wide, often **glaucous** or subglaucous.

Habitat

Grows in sand, sandy loam, loam and lateritic soil, in heath, scrub, shrubland and woodland.

Specimens

W.A.: Jarrahdale, Feb. 1968, *R.J.Edmiston* (PERTH); 7.5 km S of Pithara towards Wongan Hills, *B.R.Maslin 3373* (PERTH); c. 6 km W of Overlander–Denham road towards Tamala, *B.R.Maslin 3684* (AD, B, BM, BRI, CANB, G, K, MEL, MO, NSW, NY, PERTH, W); Kundip area, 17.5 km S of Ravensthorpe, *B.R.Maslin 4782* (K, PERTH); c. 77 km due NE of Esperance, Parmango Rd, 16.5 km NE of Fisheries Rd, *B.R.Maslin 5833* (PERTH).

Notes

Differing from subsp. *licina* in having relatively broader phyllodes that are often glaucous.

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

R.S.Cowan

Minor edits by B.R.Maslin & J.Reid

This identification key and fact sheets are available as a mobile application:



Australian Government
Department of the Environment and Energy



Department of
Biodiversity, Conservation
and Attractions
Western Australian Herbarium



Australian
Biological
Resources
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.