

WATTLE

Acacias of Australia


Acacia mimica var. angusta R.S.Cowan & Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
See illustration.



Acacia mimica var. angusta occurrence map.
Occurrence map generated via Atlas of Living
Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Confined to, but locally common in, the Borden–Ravensthorpe area in south-western W.A., excluding two collections E of Ravensthorpe near Scadden and Mt Burdett.

Description

Branchlets glabrous or sericeous in phyllode axils. Phyllodes linear to oblanceolate-linear, 2.5–10.5 cm long, 2–4.5 mm wide, 12–45 times longer than wide, mostly acute. Seeds oblong-elliptic, 3–3.5 mm long, mottled dark tan on pale grey-brown.

Habitat

Grows commonly in clay or sandy to gravelly clay in open areas of low shrub-mallee.

Specimens

W.A.: 31.25 km SE of Mt Burdett, M.A.Burgman 1690 & S.McNee (K, PERTH); 4 km S of Ravensthorpe towards Hopetoun, B.R.Maslin 2562 (AD, BRI, CANB, NY, PERTH); 19 km SE of Ongerup, K.Newbey 1295 (CANB, PERTH).

Notes

Variety *angusta* resembles, but only superficially, *A. microneura* (sect. Juliflorae).

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

R.S.Cowan

This identification key and fact sheets are available as a mobile application:



Australian Government
Department of the Environment and Energy



Department of
Biodiversity, Conservation
and Attractions
Western Australian Herbarium



Australian
Biological
Resources
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.