

WATTLE

Acacias of Australia

Acacia mutabilis subsp. *stipulifera* Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
See illustration.



Acacia mutabilis subsp. *stipulifera* occurrence map.
Occurrence map generated via Atlas of Living Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Localised S of Newdegate near Lake Bryde and Lake Cobham, south-west W.A.

Description

Shrub 0.3–1 m high. Stipules persistent, stout, 2–3 mm long, 0.5–0.7 mm wide. Phyllodes narrowly elliptic to narrowly oblong-elliptic or oblanceolate, straight, 2–5 cm long, 4–8 mm wide, l:w = 4–10, acute or obtuse, rather rigid; gland 5–10 mm above pulvinus. Peduncles 4–12 mm long.

Habitat

Grows in loamy sand and clay usually on slightly saline soil within salt lake systems, in low woodland of *Eucalyptus kondinensis* and *E. occidentalis*.

Specimens

W.A.: S of Newdegate, B.R.Maslin 3861 (PERTH); type locality, K.Newbey 3263A (PERTH).

Notes

The stout, persistent stipules distinguish this from the other subspecies, except for subsp. *angustifolia* which has the narrowest phyllodes in the species. Has similarities to a taxon of uncertain rank which resembles *A. halliana* (see note under *A. halliana*).

FOA Reference

Data derived from *Flora of Australia* Volumes 11A (2001), 11B (2001) and 12 (1998), products of ABRS, ©Commonwealth of Australia

Author

B.R.Maslin

This identification key and fact sheets are available as a mobile application:



Australian Government
Department of the Environment and Energy



Department of
Biodiversity, Conservation
and Attractions
Western Australian Herbarium



Australian
Biological
Resources
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.