

WATTLE

Acacias of Australia

Acacia steedmanii Maiden & Blakely subsp. *steedmanii*




Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
B.R. Maslin



Source: WorldWideWattle ver. 2.
Published at: www.worldwidewattle.com
See illustration.



Acacia steedmanii subsp. *steedmanii*
occurrence map.
Occurrence map generated via Atlas of Living
Australia (<https://www.ala.org.au>).

Family

Fabaceae

Distribution

Occurs from Pigeon Rocks S to Bruce Rock and E to Bulla Bulling (30 km W of Coolgardie), with an outlier near Forrestonia (c. 20 km SW of Coolgardie), W.A.

Description

Moderately open shrub or tree. Phyllodes mostly 5–10 cm long and 10–20 mm wide. Racemes 2.5–5 cm long, sometimes to 12 cm; peduncles 4–6 mm long; heads 30–40-flowered. Pods to 7 cm long, 5–6 mm wide. Seeds 3.5–4 mm long; funicle c. ½ encircling seed in a single fold (expanded length 8–12 mm long).

Habitat

Grows in sand, sandy loam, loam, rocky loam and gravelly clay, frequently on or near granite rocks but also on lateritic gravelly rises and sand-plains, in eucalypt mallee, tall heath and low scrub.

Specimens

W.A.: 7 km W of Moorine Rock on Great Eastern Hwy, B.R.Maslin 4475 (PERTH); New Morning, Forrestonia, A.O'Connor 422 (PERTH); summit of Mt Jackson which is N of Southern Cross, R.A.Saffrey 960 (MEL, NY, PERTH).

FOA Reference

Flora of Australia Project

Author

Revised by B.R.Maslin

This identification key and fact sheets are available as a mobile application:



Australian Government
Department of the Environment and Energy



Department of
Biodiversity, Conservation
and Attractions
Western Australian Herbarium



Australian
Biological
Resources
Study



URL: <https://keys.lucidcentral.org/keys/v3/wattle>
Copyright 2018. All rights reserved.